
































IMAGES	Product Detail	Product Models
	2 MP analog mini bullet IR Camera-Plastic	<b>DS-2CE16D0T-EXIPF(3.6mm)</b>
	2 MP analog turret IR Camera-Plastic	<b>DS-2CE76D0T-EXIPF(2.8mm)</b>
	2 MP analog mini bullet Smart Hybrid Light Camera with build in mic	<b>DS-2CE16D0T-LPFS(3.6mm)</b>
	2 MP analog turret Smart Hybrid Light Camera with build in mic	<b>DS-2CE76D0T-LPFS(2.8mm)</b>
	Turbo HD 8.0 - D0T Smart Hybrid Light Two-way Audio	<b>DS-2CE16D0T-LPTS(2.8mm)</b>
	Turbo HD 8.0 - D0T Smart Hybrid Light Two-way Audio PT	<b>DS-2CE70D0T-PTLTS(2.8mm)(O-STD)</b>
	Turbo HD 8.0 - D0T Smart Hybrid Light Two-way Audio with Strobe Light	<b>DS-2CE16D0T-LPXTS(2.8mm)(O-STD)</b>
	2 MP ColorVu Dual-light Fixed Mini Bullet Camera with build in mic	<b>DS-2CE10DF0T-LPFS(3.6mm)</b>
	2 MP ColorVu Dual-light Fixed Mini Turret Camera with build in mic	<b>DS-2CE70DF0T-LPFS(2.8mm)</b>






	2MP Smart Hybrid Double Light Audio Fixed Bullet Camera	<b>DS-2CE18D0T-LFS(3.6mm)</b>
	3K Smart Hybrid Light Fixed Mini Bullet Camera with build in mic	<b>DS-2CE16K0T-LPFS(3.6mm)</b>
	3K Smart Hybrid Light Fixed Turret Camera with build in mic	<b>DS-2CE76K0T-LPFS(2.8mm)</b>
	3K <b>ColorVu Smart hybrid</b> light Bullet Camera, <b>Built-in Mic</b>	<b>DS-2CE10KF0T-LPFS(3.6mm)(O-STD)</b>
	3K <b>ColorVu Smart hybrid</b> light Turret Camera, <b>Built-in Mic</b>	<b>DS-2CE70KF0T-LPFS(2.8mm)(O-STD)</b>
<b>DVR</b>		
	Turbo HD 8.0-K0T Smart Hybrid Light Two-way Audio	<b>DS-7204HGHI-M1 (C)</b>
	Turbo HD 8.0 - D0T Smart Hybrid Light Two-way Audio PT	<b>DS-7204HGHI-M1/T(STD)</b>
	Turbo HD 8.0-K0T Smart Hybrid Light Two-way Audio	<b>DS-7208HGHI-M1 (C)</b>
	Turbo HD 8.0 - D0T Smart Hybrid Light Two-way Audio PT	<b>DS-7208HGHI-M1/T(STD)</b>
	Turbo HD 8.0-K0T Smart Hybrid Light Two-way Audio	<b>DS-7216HGHI-M1(STD) (E)</b>









	Turbo HD 8.0 - D0T Smart Hybrid Light Two-way Audio PT	<b>DS-7232HGHI-M2</b>
	<b>DVR</b>	
	4-ch 1080P 1U H.265 AcuSense DVR	<b>iDS-7204HQHI-M1/E</b>
	8-ch 1080P 1U H.265 AcuSense DVR	<b>iDS-7208HQHI-M1/E</b>
	16-ch 5MP lite AcuSense DVR, <b>1 HDD SATA</b>	<b>iDS-7116HQHI-M1/S(STD)€</b>
	16-ch 5MP lite AcuSense DVR, <b>2 HDD SATA</b>	<b>iDS-7216HQHI-M2/XT(STD)</b>
	32-ch 1080p 1U H.265 AcuSense DVR, <b>2 HDD SATA</b>	<b>iDS-7232HQHI-M2/XT(STD)</b>
	<b>Product Detail</b>	<b>Product Models</b>
	2 MP IR bullet Camera	<b>DS-2CD1021G0-I(4mm)</b>
	2 MP IR turret Camera	<b>DS-2CD1321G0-I(2.8mm)</b>
	2 MP Smart Hybrid Light full Color Bullet Network Camera	<b>DS-2CD1023G2-LIU(2.8mm)(0-STD)</b>
	2 MP Smart Hybrid Light full Color Dome Network Camera	<b>DS-2CD1123G2-LIU(2.8mm)(0-STD)</b>
	2 MP ColorVu 2.0 Fixed Bullet Network Camera + Strobe light	<b>DS-2CD1027G2H-LIUF/SRB(2.8mm)(0-STD)</b>

	2 MP ColorVu 2.0 Fixed Bullet Network Camera + Strobe light	<b>DS-2CD1027G2H-LIU(4mm)(O-STD)</b>
	2 MP ColorVu 2.0 Fixed Dome Network Camera	<b>DS-2CD1127G2H-LIU(2.8mm)(O-STD)</b>
	2 MP ColorVu 2.0 Fixed turret Network Camera	<b>DS-2CD1327G2H-LIU(2.8mm)(O-STD)</b>
	2 MP ColorVu 2.0 Fixed DOME Network Camera + Strobe light	<b>DS-2CD1327G2H-LIUF/SRB(2.8mm)(O-STD)</b>
	4 MP Smart Hybrid Light full Color Bullet Network Camera	<b>DS-2CD1043G2-LIU(4mm)</b>
	4 MP Smart Hybrid Light full Color Dome Network Camera	<b>DS-2CD1143G2-LIU(2.8mm)</b>
	4 MP ColorVu 2.0 Fixed Bullet Network Camera + Strobe light	<b>DS-2CD1047G2H-LIUF/SL(4mm)(O-STD)</b>
	4 MP ColorVu 2.0 Fixed DOME Network Camera + Strobe light	<b>DS-2CD1347G2H-LIUF/SL(2.8mm)(O-STD)</b>
	4 MP ColorVu 2.0 Fixed Bullet Network Camera + Strobe light	<b>DS-2CD1T47G2H-LIUF/SL(4mm)</b>
	6 MP ColorVu 2.0 Fixed Bullet Network Camera + Strobe light	<b>DS-2CD1067G2H-LIUF/SL(4mm)(O-STD)</b>










	6 MP ColorVu with Smart Hybrid Light Bullet	<b>DS-2CD1T63G2-LIU(4mm)(O-STD)</b>
	<b>8 MP</b> Smart Hybrid Light big bullet	<b>DS-2CD1T83G2-LIU(4mm)(O-STD)</b>
	Smart Hybrid Light, 4MP PT camera	<b>DS-2DE2C400MWG-E(2.8mm)(O-STD)</b>
	4 MP Smart Hybrid Light MD 2.0 Varifocal 2.8-12mm bullet, build in mic	<b>DS-2CD1643G2-LIZU(2.8-12mm)</b>
	4 MP Smart Hybrid Light MD 2.0 Varifocal 2.8-12mm dome, build in mic	<b>DS-2CD1743G2-LIZU(2.8-12mm)</b>
	4 MP Smart Hybrid Light with ColorVu Fixed Bullet Network Camera	<b>DS-2CD2T47G3-LIY(4mm)(O-STD)</b>
	<b>TandemVu</b> 4-inch <b>2 MP 25X</b> Colorful & IR Network Speed Dome (PTZ with extra bullet cam all in one)	<b>DS-2SE4C225MWG-E(12F0)-TandemVu</b>
	<b>TandemVu</b> 4-inch <b>4 MP 25X</b> Colorful & IR Network Speed Dome (PTZ with extra bullet cam all in one)	<b>DS-2SE4C425MWG-E(14F0)-TandemVu</b>

	4-ch Mini 1U 4 PoE NVR	<b>DS-7104NI-Q1/4P/M(D)</b>
	8-ch Mini 1U 8 PoE NVR	<b>DS-7108NI-Q1/8P/M(D)</b>
	16-ch 1U 16 PoE 4K NVR	<b>DS-7616NI-Q2/16P(STD)(D)</b>
	32-ch PoE 1U K Series AcuSense 4K NVR	<b>DS-7632NXI-K2/16P(D)(STD)</b>
	32-ch 1.5U 16 POE K Series AcuSense 4K NVR	<b>DS-7732NXI-K4/16P</b>
	64-ch NVR with 4 SATA	<b>DS-7764NI-M4</b>
	Kit Analogique, 4ch 1080P Dual-Light KIT,2 bullets+2 domes	<b>DS-J142I(标配)/Africa/7204HGHI-M1+2-</b>
	Kit Analogique, 8ch 1080P Dual-Light KIT,4 bullets+4 domes	<b>DS-J142I(标配)/Africa/7208HGHI-M1+4-</b>
	IP Kit with Smart Hybrid Light, 4 domes cam	<b>DS-J142I(标配)/Africa/NK42E3H/H</b>






	<p>IP easy link wifi kit, 1 bullet + 1 dome , 2MP</p>	<p><b>NKS422W02H</b></p>
	<p>IP easy link wifi kit, 1 bullet + 1 dome , 4MP</p>	<p><b>NKS424W02H</b></p>
<b>SOLAIRE</b>		
	<p>Solar-powered 2MP Security PT Camera Setup</p>	<p><b>DS-2DE2C200IWG-K/4G/C05S10(4mm)(O-STD)</b></p>
	<p>Solar-powered 4MP Security PT Camera Setup</p>	<p><b>DS-2DE2C400IWG-K/4G/C05S10(4mm)(O-STD)</b></p>
<b>Product Detail</b>		<b>Product Models</b>
	<p>Fingerprint Terminals</p>	<p><b>DS-K1T808MFX</b></p>
	<p>Fingerprint Terminals with battery</p>	<p><b>DS-K1T808MFWX-B</b></p>
	<p>Vandal Proof Access Control Terminal, support <b>card, fingerprint, PIN, and bluetooth, Wifi</b></p>	<p><b>DS-K1T805MBFWX</b></p>
	<p>Value Face Terminal (<b>support card, fingerprint, PIN, and bluetooth, Wifi</b>)</p>	<p><b>DS-K1T321MFWX</b></p>



	<p>Value series Face Recognition Access control terminal (outdoor) with POE</p>	<p><b>DS-K1T342MFX-E1</b></p>
	<p>Value Series Face Access Terminal+<b>wifi+bluetooth</b></p>	<p><b>DS-K1T344MBFWX-E1</b></p>
	<p>Access Controller 2 doors</p>	<p><b>DS-K2602T(O-STD)</b></p>
	<p>Access Controller 4 doors</p>	<p><b>DS-K2604T(O-STD)</b></p>
	<p>Card Reader</p>	<p><b>DS-K1108AMK(O-STD)</b></p>
	<p>Fingerprint reader</p>	<p><b>DS-K1201AMF(O-STD)</b></p>
	<p>Card Enroller</p>	<p><b>DS-K1F100-D8E(O-STD)</b></p>
	<p>Fingerprint Enroller</p>	<p><b>DS-K1F820-F(O-STD)</b></p>



	Enrollment Station	<b>DS-K1F600U-D6E-F(O-STD)</b>
	Value Magnetic Locks	<b>DS-K4H255-LZ</b>
	Button	<b>DS-K7P01</b>
	Touchless Button	<b>DS-K7P03</b>
	Exit & Emergency Button	<b>DS-K7PEB/Green(O-NEU)</b>
	Door Closer	<b>DS-K4DC104</b>
	Door Closer	<b>DS-K4DC105</b>
	Mifare 1 card	<b>IC S50</b>
	Mifare 1 card	<b>DS-K7M102-M</b>
	<b>Product Detail</b>	<b>Product Models</b>
	IP intercome kit(New model)	<b>DS-KIS608-P</b>

	IP Indoor Stations	<b>DS-KH6350-WTE1(O-STD)</b>
	IP intercome kit	<b>DS-KIS614-P/Africa</b>
	New Analog 4-Wire HD Video Intercom Kit	<b>DS-KIS213</b>
	Analog 4-Wire indoor station	<b>DS-KH2230T(O-STD)</b>
	SIP Phone	<b>DS-KP6000-HE1</b>
	SIP Phone	<b>DS-KP8000-WHE1(O-STD)</b>
	SIP Server	<b>DS-KS6150</b>
	SIP Server	<b>DS-KS6160</b>
	<b>868MHz AX PRO</b> Wireless Alarm Kit 64 Zones	<b>DS-PWA64-Kit-WE</b>

	<p><b>868MHz</b> AX PRO Wireless Alarm Kit 96 Zones</p>	<p><b>DS-PWA96-Kit-WE</b></p>
	<p><b>868MHz</b> AX PRO Series Wireless Keyfob</p>	<p><b>DS-PKF1-WE</b></p>
	<p><b>868MHz</b> AX PRO Series Wireless Indoor Sounder</p>	<p><b>DS-PS1-I-WE</b></p>
	<p><b>868MHz</b> AX PRO Series Wireless Outdoor Sounder</p>	<p><b>DS-PS1-E-WE -Red</b></p>
	<p><b>868MHz</b> AX PRO Series Repeater</p>	<p><b>DS-PR1-WE</b></p>
	<p><b>868MHz</b> AX PRO Series Single-Input Transmitter</p>	<p><b>DS-PM1-I1-WE</b></p>
	<p><b>868MHz</b> AX PRO Series Wireless PIR Detector</p>	<p><b>DS-PDP15P-EG2-WE(B)</b></p>
	<p><b>868MHz</b> AX PRO Series Wireless PIRCAM Detector</p>	<p><b>DS-PDPC12P-EG2-WE(B)</b></p>
	<p><b>868MHz</b> AX PRO Series Wireless Magnetic Contact</p>	<p><b>DS-PDMC-EG2-WE(B)</b></p>
	<p><b>868MHz</b> AX Hybrid Pro Control Panel Kit</p>	<p><b>DS-PHA64-Kit-WE</b></p>

	Wired Sounder	<b>DS-PS1-R</b>
	Wired PIR Detector	<b>DS-PDP18-EG2</b>
	Wired Magnetic Contact	<b>DS-PD1-MC-WS</b>
	Wired PIRCAM	<b>DS-PDPC12P-EG2</b>
	Fire alarm standalone smoke detector	<b>HF-S2E(O-STD)</b>
	gate motor, 对标 CENTURION D6 smart 型号	<b>K3SL606X</b>
	Value Tripod Turnstile	<b>DS-K3G301X-R/M-Dm55(O-STD)</b>
	<b>Product Detail</b>	<b>Product Models</b>
	Hikvision 3.5 inch surveillance HDD 2T	<b>DS20HKVS-VX1</b>
	Hikvision 3.5 inch surveillance HDD 4T	<b>DS40HKVS-VX1</b>
	Hikvision 3.5 inch surveillance HDD 6T	<b>DS60HKVS-VX1</b>

	Hikvision 3.5 inch surveillance HDD 8T	<b>DS80HKVS-VX1</b>
	Cat6, U/UTP CCA 305M, Copper Clad Aluminium	<b>DS-1LN6UU/CCA(O-STD) grey 305m</b>
	Cat6, U/UTP Solid Copper, 0.50mm 305M,	<b>DS-1LN6UZC0(O-STD) orange 305m</b>
	CAT6A Indoor, U/FTP LSZH Dca 23AWG	<b>DS-1LN6APSL4(O-STD)/Blue 305m</b>
	cat 6 RJ45 Plug Bag	<b>DS-1M6UA-15U</b>
	Video Balun	<b>DS-1H18S/E(C)</b>
	180 m Mini RG59 Coaxial Cable with Power Cable	<b>DS-1LH1SCAM592C 180m</b>
	4ch power adapter	<b>DS-2FA1225-C4(EUR)(O-STD)</b>
	8ch power adapter	<b>DS-2FA1205-C8(EUR)(O-STD)</b>
	16-ch power adapter	<b>DS-2FA1208-C16(EUR)(Africa)</b>
	22 inch screen	<b>DS-D5022F2-1V2(EU)</b>
	32 inch screen	<b>DS-D5032F3-1P0S</b>
	43 inch screen	<b>DS-D5043F3-1V0(EU)</b>
	Wall-mounted bracket, Dimension 250 mm × 220 mm × 25mm	<b>DS-DM1940W</b>

	Wall-mounted bracket, Dimension 450 mm × 420 mm × 25mm	<b>DS-DM4255W</b>
	600VA/360W UPS	<b>DS-UPS600(O-STD)/EU</b>
	1000VA/600W UPS	<b>DS-UPS1000(O-STD)/EU</b>
	2000VA/1200W UPS	<b>DS-UPS2000(O-STD)/EU</b>
	3000VA/1800W UPS	<b>DS-UPS3000(O-STD)/EU</b>
	DS-QAE0KA60206-4(O-STD)/EU	
	DS-QAE0KA60120-2(O-STD)/EU	











